

**Table 10.14**  
**Unadjusted Patient Survival, Intestine Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	294	91.2%	1.7%	294	78.6%	2.4%	732	56.6%	2.5%	1,011	43.1%	2.8%
<b>Age at Tx</b>												
<1 Year	52	80.8%	5.5%	52	65.4%	6.6%	115	54.2%	5.2%	152	35.0%	6.6%
1-5 Years	82	93.9%	2.6%	82	78.0%	4.6%	234	54.3%	4.5%	337	49.0%	3.4%
6-11 Years	16	100.0%	0.0%	16	81.3%	9.8%	48	54.6%	10.2%	78	52.5%	8.4%
12-17 Years	12	91.7%	8.0%	12	83.3%	10.8%	33	79.6%	7.6%	46	55.1%	14.0%
18-34 Years	56	92.9%	3.4%	56	83.9%	4.9%	107	59.2%	7.0%	146	45.7%	6.6%
35-49 Years	39	92.3%	4.3%	39	79.5%	6.5%	114	63.5%	5.7%	159	17.6%	13.2%
50-64 Years	35	91.4%	4.7%	35	85.7%	5.9%	76	39.2%	9.6%	88	38.6%	7.8%
65+ Years	2	100.0%	0.0%	2	100.0%	0.0%	5	60.0%	21.9%	5	+	+
<b>Recipient Ethnicity/Race</b>												
White	194	91.8%	2.0%	194	80.9%	2.8%	504	57.1%	3.0%	698	43.4%	3.3%
African American	45	91.1%	4.2%	45	73.3%	6.6%	101	53.3%	6.1%	141	42.6%	5.1%
Hispanic/Latino	45	88.9%	4.7%	45	75.6%	6.4%	103	59.5%	6.4%	142	40.7%	12.6%
Asian	4	100.0%	0.0%	4	75.0%	21.7%	14	57.1%	13.2%	19	+	+
Other/Multi-race	6	83.3%	15.2%	6	66.7%	19.2%	10	22.5%	18.1%	11	+	+
<b>Recipient Gender</b>												
Female	159	89.9%	2.4%	159	78.6%	3.3%	380	59.8%	3.3%	505	39.3%	4.7%
Male	135	92.6%	2.3%	135	78.5%	3.5%	352	53.2%	3.7%	506	46.5%	3.2%
<b>Recipient Blood Type</b>												
O	140	92.1%	2.3%	140	79.3%	3.4%	331	59.7%	3.9%	463	49.6%	3.3%
A	100	87.0%	3.4%	100	75.0%	4.3%	269	52.3%	4.0%	382	40.5%	4.3%
B	39	94.9%	3.5%	39	79.5%	6.5%	97	54.8%	6.1%	119	39.4%	8.7%
AB	15	100.0%	0.0%	15	93.3%	6.4%	35	62.9%	9.5%	47	+	+

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

**Table 10.14 (Continued)**  
**Unadjusted Patient Survival, Intestine Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	294	91.2%	1.7%	294	78.6%	2.4%	732	56.6%	2.5%	1,011	43.1%	2.8%
<b>Recipient Residency</b>												
U.S. Resident	284	91.2%	1.7%	284	78.5%	2.4%	709	56.7%	2.5%	964	43.4%	3.0%
Nonresident Alien	10	90.0%	9.5%	10	80.0%	12.6%	22	53.0%	12.2%	41	41.9%	9.8%
Unknown	0	-	-	0	-	-	1	+	+	6	0.0%	0.0%
<b>Hospitalized at Tx</b>												
Not Hospitalized	204	93.1%	1.8%	204	81.9%	2.7%	492	59.4%	3.1%	643	45.8%	4.4%
Hospitalized	62	90.3%	3.8%	62	77.4%	5.3%	159	54.0%	5.4%	227	38.1%	5.6%
In Intensive Care	28	78.6%	7.8%	28	57.1%	9.4%	81	44.0%	6.2%	129	29.9%	5.5%
Unknown	0	-	-	0	-	-	0	-	-	12	58.3%	14.2%
<b>Life Support at Tx</b>												
No	289	91.7%	1.6%	289	79.2%	2.4%	711	57.2%	2.5%	962	42.9%	3.2%
Yes	5	60.0%	21.9%	5	40.0%	21.9%	21	31.7%	10.4%	37	+	+
Unknown	0	-	-	0	-	-	0	-	-	12	58.3%	14.2%
<b>Primary Diagnosis</b>												
Short Gut Syndrome	207	89.9%	2.1%	207	77.3%	2.9%	537	55.0%	2.8%	741	43.1%	3.2%
Functional Bowel Problem	55	96.4%	2.5%	55	81.8%	5.2%	130	60.1%	6.6%	187	41.4%	6.8%
Other	32	90.6%	5.2%	32	81.3%	6.9%	64	61.9%	8.0%	82	48.5%	9.6%
Unknown	0	-	-	0	-	-	1	+	+	1	+	+

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

**Table 10.14 (Continued)**  
**Unadjusted Patient Survival, Intestine Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	294	91.2%	1.7%	294	78.6%	2.4%	732	56.6%	2.5%	1,011	43.1%	2.8%
<b>Cold Ischemic Time</b>												
0-5 Hours	42	92.9%	4.0%	42	85.7%	5.4%	83	56.7%	8.4%	99	+	+
6-10 Hours	191	92.1%	1.9%	191	78.5%	3.0%	541	56.1%	2.8%	707	42.2%	4.4%
11-15 Hours	6	66.7%	19.2%	6	66.7%	19.2%	28	65.9%	9.4%	63	36.4%	8.6%
16-20 Hours	0	-	-	0	-	-	1	+	+	7	+	+
21+ Hours	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
Unknown	55	89.1%	4.2%	55	74.5%	5.9%	79	61.7%	6.8%	133	46.0%	5.7%
<b>Yearly Center Volume</b>												
0-1	7	85.7%	13.2%	7	42.9%	18.7%	51	52.0%	8.9%	94	7.6%	6.6%
2-7	52	82.7%	5.2%	52	69.2%	6.4%	111	60.5%	5.6%	237	44.5%	7.7%
8+	235	93.2%	1.6%	235	81.7%	2.5%	570	57.7%	2.7%	680	47.9%	2.7%
<b>Donor Age</b>												
<1 Year	76	88.2%	3.7%	76	76.3%	4.9%	204	58.6%	4.0%	271	50.3%	3.7%
1-5 Years	71	91.5%	3.3%	71	73.2%	5.3%	178	49.9%	5.1%	271	39.7%	4.9%
6-11 Years	21	95.2%	4.6%	21	71.4%	9.9%	67	64.0%	8.6%	107	37.7%	10.4%
12-17 Years	50	92.0%	3.8%	50	82.0%	5.4%	97	59.7%	6.8%	123	47.5%	7.1%
18-34 Years	58	93.1%	3.3%	58	86.2%	4.5%	137	59.0%	6.6%	176	38.7%	7.6%
35-49 Years	16	87.5%	8.3%	16	81.3%	9.8%	39	45.5%	12.4%	53	53.9%	8.0%
50-64 Years	2	100.0%	0.0%	2	100.0%	0.0%	9	48.6%	18.7%	9	+	+
65+ Years	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

**Table 10.14 (Continued)**  
**Unadjusted Patient Survival, Intestine Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	294	91.2%	1.7%	294	78.6%	2.4%	732	56.6%	2.5%	1,011	43.1%	2.8%
<b>Transplant Center State</b>												
ALABAMA	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
CALIFORNIA	35	94.3%	3.9%	35	82.9%	6.4%	79	68.8%	5.8%	94	39.8%	16.8%
FLORIDA	43	90.7%	4.4%	43	76.7%	6.4%	137	45.2%	5.2%	202	37.7%	4.4%
IOWA	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
ILLINOIS	11	90.9%	8.7%	11	72.7%	13.4%	14	+	+	18	0.0%	0.0%
INDIANA	23	87.0%	7.0%	23	78.3%	8.6%	29	+	+	29	+	+
LOUISIANA	1	100.0%	0.0%	1	100.0%	0.0%	1	0.0%	0.0%	1	0.0%	0.0%
MASSACHUSETTS	4	100.0%	0.0%	4	100.0%	0.0%	5	+	+	5	+	+
MARYLAND	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
MINNESOTA	2	50.0%	35.4%	2	0.0%	0.0%	3	0.0%	0.0%	10	0.0%	0.0%
MISSOURI	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
NEBRASKA	46	93.5%	3.6%	46	80.4%	5.8%	111	51.9%	6.9%	180	50.8%	4.6%
NEW YORK	15	80.0%	10.3%	15	66.7%	12.2%	58	52.6%	7.4%	87	+	+
OHIO	8	50.0%	17.7%	8	25.0%	15.3%	15	+	+	15	+	+
OKLAHOMA	0	-	-	0	-	-	1	0.0%	0.0%	2	0.0%	0.0%
PENNSYLVANIA	74	97.3%	1.9%	74	87.8%	3.8%	223	67.4%	4.3%	298	51.8%	5.1%
SOUTH CAROLINA	2	100.0%	0.0%	2	0.0%	0.0%	3	33.3%	27.2%	6	+	+
TEXAS	2	100.0%	0.0%	2	100.0%	0.0%	2	+	+	4	+	+
WISCONSIN	0	-	-	0	-	-	10	30.0%	14.5%	14	21.4%	12.6%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.